

2021 Blue Cross Blue Shield of Michigan Cardiovascular Consortium
 Collaborative Quality Initiative Performance Index Scorecard PCI & VS Combined
 Measurement Period: 01/01/2021 - 12/31/2021 (REVISED 10/13/21)

Measure #	Weight	Measure Description	PCI Points	VS Points
1	10	Meeting Participation - Clinician Lead		
		2 Meetings (Vascular Surgery); 3 Meetings (PCI)	5	5
		1 Meeting (Vascular Surgery); 2 Meetings (PCI)	2.5	2.5
		Did not participate	0	0
2	5	Data Coordinator Expectations (Vascular Surgery: Includes 1 year follow-up ≥80%)		
		Meets all expectations (1 Year FU ≥80%)	2.5	2.5
		Meets most expectations (1 Year FU 60-79%)	1	1
		Does not meet expectations (1 Year FU <60%)	0	0
3	5	Internal Case Reviews		
		Submitted reviews for ≥90% of cases	2.5	2.5
		Submitted reviews for <90% of cases	0	0
4	5	Physicians Complete Cross Site Review of Assigned Cases for Procedural Indications and Technical Quality		
		Submitted reviews for 100% of cases	2.5	2.5
		Submitted reviews for <100% of cases	0	0
5	12.5	Vascular Surgery Collaborative Goal - Statin at Discharge for Open Bypass, CEA* and CAS^ Discharges		
		≥95%	NA	12.5
		93% - <95%	NA	10
		90% - <93%	NA	5
		<90%	NA	0
6	10	Vascular Surgery Performance Goal – Surgeons to prescribe a maximum of 10 opioid pills for opioid naïve patients with EVAR† at discharge		
		≥80%	NA	10
		75% - <80%	NA	7.5
		70% - <75%	NA	5
		<70%	NA	0
7	10	Vascular Surgery Performance Goal – Surgeons to prescribe a maximum of 10 opioid pills for opioid naïve patients with CEA* at discharge		
		≥80%	NA	10
		75% - <80%	NA	7.5
		70% - <75%	NA	5
		<70%	NA	0
8	12.5	PCI Performance Goal - Peak Intra-Procedure ACT‡ recorded		
		≥90%	12.5	NA
		80% - <90%	10	NA
		70% - <80%	5	NA
		<70%	0	NA
9	10	PCI Performance Goal - Percent of cases with peak ACT‡ ≥350 seconds for Heparin-only cases		
		≤15%	10	NA
		>15 - 25%	7.5	NA
		>25% - 35%	5	NA
		>35%	0	NA
10	10	NEW - PCI Performance Goal - Percent of cases with Air Kerma dose ≥5 Gray		
		≤2%	10	NA
		>2% - 3%	7.5	NA
		>3% - 4%	5	NA
		>4%	0	NA
11	10	NEW - PCI Collaborative Goal - Pre PCI hydration (oral and/or IV) (volume/3ML/Kg) in patients with eGFR** < 60 (excludes dialysis, cardiac arrest, cardiogenic shock, PCI status of "salvage" and symptomatic heart failure NYHA^^ 2,3,4, and STEMI††).		
		≥50%	10	NA
		40% - <50%	5	NA
		<40%	0	NA

100

28 sites participate in PCI & Vascular Surgery

*CAS=carotid artery stent

^CEA=carotid endarterectomy

†EVAR=endovascular aneurysm repair

‡ACT=activated clotting time

**eGFR=estimated glomerular filtration rate

^^NYHA= New York Heart Association heart failure class

††STEMI=ST elevated myocardial infarction

Indicates Participation Measures

Indicates Performance Measures

Indicates Revision